

Supplementary Table 1. Descriptive data for radiologists in Hong Kong SAR/Guangdong Province and Australia

	Characteristics	Minimum	Maximum	Median	Interquartile Range
Hong Kong SAR/Guangdong Province	Sensitivity (%)	40.00	95.00	72.50	31.25
	Specificity (%)	35.00	97.50	68.75	41.25
	Lesion sensitivity (%)	19.00	76.20	54.75	34.53
	AUC	0.50	0.91	0.76	0.14
	JAFROC	0.17	0.83	0.57	0.28
	True positive	8	19	14.50	6
	False positive	1	26	12.50	17
	True negative	14	39	27.50	17
	False negative	1	12	5.50	6
	Age	35	51	37	5
	Number of years reading mammograms	1	18	6	4
3-6 months fellowship		Yes	7		
		No	5		
Australia	Sensitivity (%)	45	85	80.00	11.25
	Specificity (%)	47.5	97.5	68.75	41.25
	Lesion sensitivity (%)	28.6	81	54.75	34.53
	AUC	0.62	0.87	0.82	0.10
	JAFROC	0.39	0.79	0.70	0.15
	True positive	9	17	15.00	3
	False positive	1	21	8.00	5
	True negative	19	39	32.00	5
	False negative	3	11	5.00	3
	Age	34	66	46	26
	Number of years reading mammograms	0	32	14	24
3-6 months fellowship		Yes	9		
		No	4		