STROBE

| Section/topic | Item | Recommendation | Page |
|---------------|------|---|------|
| | No. | | No. |
| Title and | 1 | (a) Indicate the study's design with a commonly used term in the title or | |
| abstract | | the abstract | |
| | | (b) Provide in the abstract an informative and balanced summary of what | |
| | | was done and what was found | |
| Introduction | | | |
| Background/ | 2 | Explain the scientific background and rationale for the investigation being | |
| rationale | | reported | |
| Objectives | 3 | State specific objectives, including any prespecified hypotheses | |
| Methods | | | |
| Study design | 4 | Present key elements of study design early in the paper | |
| Setting | 5 | Describe the setting, locations, and relevant dates, including periods of | |
| | | recruitment, exposure, follow-up, and data collection | |
| Participants | 6 | (a) Cohort study -Give the eligibility criteria, and the sources and methods | |
| | | of selection of participants. Describe methods of follow-up | |
| | | Case-control study -Give the eligibility criteria, and the sources and | |
| | | methods of case ascertainment and control selection. Give the rationale for | |
| | | the choice of cases and controls | |
| | | Cross-sectional study -Give the eligibility criteria, and the sources and | |
| | | methods of selection of participants | |
| | | (b) Cohort study -For matched studies, give matching criteria and number | |
| | | of exposed and unexposed | |
| | | Case-control study -For matched studies, give matching criteria and the | |
| | | number of controls per case | |
| Variables | 7 | Clearly define all outcomes, exposures, predictors, potential confounders, | |
| | | and effect modifiers. Give diagnostic criteria, if applicable | |
| Data sources/ | 8* | For each variable of interest, give sources of data and details of methods of | |
| measurement | | assessment (measurement). Describe comparability of assessment methods | |
| | | if there is more than one group | |

STROBE Statement -checklist of items that should be included in reports of observational studies

| Section/topic | ltem No. | Recommendation | Page No. |
|---------------|-------------|---|-------------|
| Bias | 9 | Describe any efforts to address potential sources of bias | |
| Study size | 10 | Explain how the study size was arrived at | |
| Quantitative | 11 | Explain how quantitative variables were handled in the analyses. If | |
| variables | | applicable, describe which groupings were chosen and why | |
| Statistical | 12 | (a) Describe all statistical methods, including those used to control for | |
| methods | | confounding | |
| | | (b) Describe any methods used to examine subgroups and interactions | |
| | | (c) Explain how missing data were addressed | |
| | | (d) Cohort study -If applicable, explain how loss to follow-up was | |
| | | addressed | |
| | | Case-control study -If applicable, explain how matching of cases and | |
| | | controls was addressed | |
| | | Cross-sectional study -If applicable, describe analytical methods taking | |
| | | account of sampling strategy | |
| | | (e) Describe any sensitivity analyses | |
| Results | | | |
| Participants | 13* | (a) Report numbers of individuals at each stage of study—eg numbers | |
| | | potentially eligible, examined for eligibility, confirmed eligible, included in | |
| | | the study, completing follow-up, and analysed | |
| | | (b) Give reasons for non-participation at each stage | |
| | | (c) Consider use of a flow diagram | |
| Descriptive | 14* | (a) Give characteristics of study participants (eg demographic, clinical, social) | |
| data | | and information on exposures and potential confounders | |
| | | (b) Indicate number of participants with missing data for each variable of | |
| | | interest | |
| | | (c) Cohort study -Summarise follow-up time (eg, average and total amount) | |
| Outcome data | 15* | Cohort study -Report numbers of outcome events or summary measures | |
| | | over time | |
| | | Case-control study -Report numbers in each exposure category, or | |
| | | summary measures of exposure | |
| | | Cross-sectional study -Report numbers of outcome events or summary | |
| | | measures | |

| Section/topic | ltem | Recommendation | Page | |
|-------------------|------|--|------|--|
| | No. | | No. | |
| Main results | 16 | (a) Give unadjusted estimates and, if applicable, confounder-adjusted | | |
| | | estimates and their precision (eg, 95% confidence interval). Make clear | | |
| | | which confounders were adjusted for and why they were included | | |
| | | (b) Report category boundaries when continuous variables were categorized | | |
| | | (c) If relevant, consider translating estimates of relative risk into absolute | | |
| | | risk for a meaningful time period | | |
| Other analyses | 17 | Report other analyses done -eg analyses of subgroups and interactions, and | | |
| | | sensitivity analyses | | |
| Discussion | | | | |
| Key results | 18 | Summarise key results with reference to study objectives | | |
| Limitations | 19 | Discuss limitations of the study, taking into account sources of potential | | |
| | | bias or imprecision. Discuss both direction and magnitude of any potential | | |
| | | bias | | |
| Interpretation | 20 | Give a cautious overall interpretation of results considering objectives, | | |
| | | limitations, multiplicity of analyses, results from similar studies, and other | | |
| | | relevant evidence | | |
| Generalisability | 21 | Discuss the generalisability (external validity) of the study results | | |
| Other information | | | | |
| Funding | 22 | Give the source of funding and the role of the funders for the present | | |
| | | study and, if applicable, for the original study on which the present article | | |
| | | is based | | |

* Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.