
HISTORICAL REVIEW

Cancer Research and Control Activities in Japan - Contributions to International Efforts

Malcolm A Moore¹, Tomotaka Sobue²

Abstract

Since the establishment of the Japanese Foundation for Cancer Research in 1908, Japan has experienced a long history of physicians and researchers playing very active roles in both national and international efforts for cancer control. With the opening of the Japanese Foundation for Cancer Research Cancer Institute and Hospital in 1934 and the National Cancer Center in 1962, followed by Aichi Cancer Center in 1964 and then gradually Prefectural Centers across the country, the populace is well endowed with specialist research and clinical facilities. Under the Cancer Control Act, implemented in 2007, these are now being complemented by a network of specialist hospitals also involved in efforts to improve training and cancer registration as well as standardization of cancer treatment. Regional cancer registries have been active since the 1960's and national programs for cervical and stomach cancer screening were introduced in 1984. Subsequently, such early detection efforts have been added for the lung, colorectal, endometrial and breast cancers. There are a large number of academic scientific societies holding regular research meetings and focusing on all the different aspects of cancer control. In addition, there are non-government organizations like the Foundation for Promotion of Cancer Research, the Princess Takamatsu Cancer Research Foundation, the Sapporo Cancer Seminar Foundation and the Hiroshima Cancer Seminar Foundation, all sponsoring international research meetings and other efforts. Other foundations have been established, for example by patient support groups, and policy research and strategic planning are now high priorities of the Government. Japan also continues to contribute to international efforts through its membership in the WHO and the International Agency for Research on Cancer (IARC), as well as through individual memberships in the International Union Against Cancer (UICC).

Key Words: Japan - cancer control - registration - screening - national activity - international activity

Asian Pacific J Cancer Prev, 9, 183-200

Early Cancer Research Efforts in Japan

a) Dawn of the Japanese Foundation for Cancer Research

At the turn of the century, in 1900, little attention was being paid to cancer prevention, partly because the majority of causes of death were infectious/parasitic diseases and illnesses related to under-nutrition. However, some Japanese physicians with responsibilities for cancer patient care had become interested in cancer mortality statistics, and it was reported that more than 20,000 cancer deaths were occurring nationwide annually, with a tendency for increase year by year (Abe, 1907; Sato, 1907; Bureau of the Statistics of the Imperial Cabinet, 1943). In 1908, the Japanese Foundation for Cancer Research (JFCR) was launched in Tokyo, albeit more as a response to outside pressures than due to any drive within the country. The society initially consisted of 161 physician members throughout Japan, and was primarily organized as a result of a request from Professor E. von Leiden who

had founded the Cancer Research Institute, Berlin, in 1901. He recognized that cancer was a formidable enemy, at that time largely of unknown etiology and very difficult to detect before obvious symptoms, with no effective treatment except for surgical resection for those fortunate individuals diagnosed at an early stage. However, the fact that different cancers showed geographically uneven distributions did suggest roles for environmental causative factors, some of which might be avoidable. Therefore he emphasized that international collaboration for studying studying human cancer was essential.

Since such collaboration would have to be promoted at the national level Dr Leiden asked colleagues in Japan to join in this scheme, after organizing a cancer society. The resultant provisional committee set up regulations and asked for the understanding and collaboration of physicians interested in oncology throughout Japan. The objectives of the society were, as follows: 1) to hold a scientific meeting annually, and to promote information exchange on cancer; 2) to collect cancer statistics; to make

¹UICC Asian Regional Office for Cancer Control, ²Cancer Information Services and Surveillance Division, Center for Cancer Control and Information Services, National Cancer Center, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan *For correspondence apocpcontrol@yahoo.com



Figure 1. First Issue of the Cancer Journal 'Gann'

policy decisions regarding the direction of cancer research; 3) to educate the public and professionals about new developments and information relevant to the disease; 4) to raise funds from charitable individuals and bodies to promote research; and 5) to establish a cancer hospital and research institute. Most of these objectives were similar to those already established in European countries.

Professor Yamagiwa considered that publishing a cancer journal was central to this effort and in fact had already issued the Japanese Journal of Cancer Research, then entitled Gann (stone or cancer in Japanese) in 1907 (Figure 1), providing a grant for this purpose (Yamagiwa, 1908). The oldest continuing cancer publication, *Revue des Maladies Cancereuse*, Paris had only been started in 1896, followed by the *Bulletin du Cancer* and *Zeitschrift for Krebsforschung* in 1904. The British Journal of Cancer was only founded as a quarterly in 1947 and the first edition of *Cancer Research* was published in 1941. He stated that while many respectable papers on cancer were appearing in the different Japanese medical journals, a focus was needed to facilitate their being read by those

who wished to study cancer. This journal, Gann, later became the official journal of the Japanese Foundation for Cancer Research (JFCR) and is now continuing to receive international acclaim as 'Cancer Science'.

At the opening ceremony of the meeting in 1908, Professor Tanemichi Aoyama of Tokyo University, the first President of the JFCR, expressed reservations about being able to participate in very active international associations, because Japan was small and poor, not only in terms of the industrial economy but also in scientific achievements on cancer. However, the decision was finally made to join in the international scientific network. One strong reason for the positive response to the request of Professor Leyden was the fact that he and his colleagues had been very supportive of Japanese students living in Germany, and there was a wish to return this goodwill. Another factor was the change in the international situation of Japan after the victory in the Japan-Russia war, and there was a feeling that the country should do something to make an international contribution. At the time, many people realized that international respect and sympathy could better be obtained by achievement and involvement in cultural progress, rather than victory of war with its consumption of financial resources and human sacrifice.

At the first scientific meeting of the JFCR in 1908 at Tokyo University, Dr Katsusaburo Yamagiwa (Photograph 1) delivered a special lecture, emphasizing that the best means for cancer prevention was to remove or avoid long standing inflammatory processes and to enhance immunological responses, after reviewing his established studies on cancer from the pathological point of view. He had already written in his book entitled *Stomach Cancer* (Yamagiwa, 1905) that a close relationship was evident between cancer and chronic inflammation, which might be derived from inadequacies in the diet and other factors in daily life, some of which might be avoidable. It was a lecture with really keen insight at that time, because only now have laboratory and epidemiologic studies comprehensively endorsed the role of (Lifestyle in carcinogenesis. Other presentations, were "Cancer Statistics of Gynaecological Cancer" by Dr. Masanaka Kinoshita and "Comparative Pathology in Relation to Cancer" by Professor Akira Fujinami, a pathologist studying host factors in carcinogenesis and the first man to promote epidemiological studies on cancer based on the population in Japan (Photograph 2).



Photographs 1 and 2. Drs Katsusaburo Yamagiwa and Akira Fujinami

b) Participation in the International Society for the Study of Cancer (ISSC)

The JSCR decided to become a member of the International Society for the Study of Cancer (ISSC) to be organized in Europe and sent three delegates to the opening of this Association in Berlin, Germany, in 1908. The policy of the ISSC was wholly reflected in the regulations of the JSCR. On their return the Japanese delegates provided the summary of special lectures and the JSCR continuously contributed to the policy of the ISSC by providing Executive Committee members and participating in meetings. Prof. Yamagiwa joined in the Committee for Nomenclature of Tumors and made many proposals of terms that were adopted at that time. In 1922,

at the first scientific meeting of the ISSC after World War I, the main theme was Experimental Tar Cancer, commemorating Yamagiwa and Ichikawa's achievements and a great honor for Japan.

c) Early Experimental Research on Causes of Cancer

The JSCR early set up a Grant-in-Aid system for cancer research and gave prizes for the most distinguished achievements in cancer studies. Most physicians thought it was essential to clarify the cause and pathogenesis of cancer, because otherwise no effective treatment and preventive measures could be developed. Many experimental investigations were conducted and the first JSCR Prize was given to A Fujimami and K Inamoto for their study on 'Transplantable Fowl Tumors' in 1913. The second Prize, in 1914, was shared by H Tsutui for work on 'Experimental Tumors in Mice' and by S Mogi for findings on 'Penile Cancer'. The third was awarded to K Yamagiwa and K Ichikawa for research into 'Experimental Tar Cancer'(1915). Their first success in producing cancer artificially in rabbits by repeated exposure to an external agent was an epoch-making step. The method was simple and reproducible, allowing any scientist to examine the processes involved in the shift from normal to abnormal cells, and finally to cancers. Furthermore, the irritation theory was experimentally verified and the work pioneered experimental studies on carcinogenesis and lead directly to isolation of carcinogenic substances, with major implications for prevention of cancer. Their lead was energetically followed by other researchers in Japan, and for example, in 1935, Sasaki and Yoshida (1935) (see Photograph 3) succeeded in producing liver cancer in rabbits treated with O-amidoazotoluol orally. This proof of systemic carcinogenesis was another monumental achievement in experimental cancer studies. About 40 years had passed since Rehn pointed out a close relationship between aniline dyes and bladder cancer and now Japanese workers were at the forefront in experimental demonstration of the importance of individual chemicals in generation of neoplasia. This emphasis is still continuing, for example with insights into the importance of heterocyclic amines



Photograph 3. Drs Sasaki and Tomizo Yoshida

generated during cooking processes (Sugimura et al., 2004). One anecdotal study deserves description here, given the prominence now given to tobacco as a medical disaster. In the early 1900s, Chikamatsu (1918) produced stomach cancer in rabbits by treating them with tobacco tar for 400 days perorally. He also succeeded in producing skin cancer by painting tobacco tar using Yamagiwa's method. The paper was written in Japanese and therefore unfortunately remained buried, since it was a very early pointer which clearly warranted more attention.

d) Cancer Statistics and Epidemiological Studies

It is now well established that the basis of a comprehensive national cancer control program is a system of surveillance, with attention to determinants, and outcomes. To collect and analyze exact cancer data is essential for research and prevention. However, at the beginning of the last century it was not easy to routinely document cancer cases and also to achieve an international standard of diagnosis. The latter relies on both macroscopic and microscopic evidence, but this is difficult to regulate, so the data obtained are often non-uniform. The International Classification of Deaths (ICD) was adopted in 1899 by many countries of the world, including Japan, but the classification of cancer was only into five large categories, which were not useful for research and clinical reference. Many physicians tried to analyze cancer data in hospitals in groups and in more detail, for example by organ. However, the data generated were not directly comparable.

The Japanese Government has in fact issued annual mortality statistics by major disease since 1882. From 1899, mortality statistics were published with cause of death, age-sex, present and permanent residence, occupation and other characteristics. Regarding cancer, the ICD classification was changed to 9 categories in 1909 (see Table 1). However, these major sites of cancer were still not sufficient for physicians and researchers to actually do their work, so that data were published for frequency distributions of cancer patients by more sites, after examining clinical and autopsy records in hospitals around 1900 (Abe, 1907; Sato, 1907).

There were clearly problems with accuracy and homogeneity in cancer diagnosis between the statistics reported. Low autopsy rates even in the top ranking hospitals at that time hindered promotion of cancer studies. A total of 932,800 deaths by all causes were registered in 1899, and about 20,000 (2.08% of all cases) were due to

Table 1. ICD 2nd Revision Classification, 1909-1922

40 Cancer of the Buccal Cavity
41 Cancer of the Stomach & Liver
42 Cancer of the Peritoneum, Intestines and Rectum
43 Cancer of the Female Genital Organs
44 Cancer of the Breast
45 Cancer of the Skin
46 Cancer of the Other Organs
47 Cancer of Organs Not Specified
48 Other Malignant Tumors



Photographs 4 and 5. Drs Mataro Nagayo and Mitsuo Segi

cancer. Since many deaths were of patients still active in their communities, correct figures for cancer were strongly requested by researchers and officials responsible for disease control. From 1907, a start was made in this area (Nakari and Fujinami, 1908; Fujinami, 1913; Nakari, 1913), with examination of all death certificates of the inhabitants from 1901 to 1904 by organ in the Kyoto region. These were the first relatively reliable population-based cancer mortality statistics in Japan, although they included some erroneous classifications on death certificates. Suzuki (1918; 1921) succeeded in conducting an epidemiological study of cancer by visiting local villages and towns with populations more than 2000 from 1905 to 1914, over 10 years, and revealed that cancer mortality rates ranged from 6.1 to 14.0 per 10,000 in the Kyoto area. He concluded that cancer mortality varied greatly with the prevailing economic conditions and the predominant lifestyle. The areas where people liked rich foods including meat and alcohol drinking showed higher cancer mortality, while areas where people consumed rice, vegetables and small amounts of fish, with less meat, showed lower cancer mortality. Again these findings resonate with the most recent research into nutritional influence on neoplasia.

Similar epidemiological studies were then conducted in Aichi (Nomura, 1924), Gifu (Nomura and Yoshida, 1924), Shizuoka (Yoshida, 1926) and Yamanashi (Katada, 1926) prefectures by Fujinami's students, working at the Aichi Medical College, Nagoya, and voluminous reports ensued, containing very interesting results. For example, the findings suggested a statistical association between the living environment and/or lifestyle habits and frequency of cancer deaths, and in Yamanashi prefecture, a close relationship between *Schistosomiasis Japonica* infestation and liver cancer was shown already in 1926. Fujinami expected to present the overall analyses of the data of the series of studies in 1934, but unfortunately he suddenly died and none of his colleagues were able to adequately continue his work. Of course the idea of epidemiology was derived from Europe but these early studies were equal in quality and quantity to those conducted anywhere else in the world at that time. They remained buried in the world, as only written in Japanese.

Regarding cancer statistics, Mataro Nagayo (see

Photograph 4), a pathologist and the first chairman of the Cancer Institute in 1934, had developed a great interest since 1920s and therefore conducted a nation-wide patient survey sending questionnaires to the major hospitals throughout Japan repeatedly in the 1929-32. It was not an easy task at that period, but finally he published a monograph entitled "Statistical Study on Cancer in Japan" collecting more than 20,000 cases of cancer patients, as a supplement to the journal *Gann* (Nagayo, 1935). The distribution of cancer by site suggested marked differences in relative frequency compared with those of other countries. and he added cancer mortality statistics for 1915 to 1930 in all Japan, with a total of 1,579 cancer cases autopsied at the Department of Pathology, Tokyo University in 1889-1914. These figures opened the eyes of many physicians and researchers to the necessity for future study. Nagayo deserves particular respect for his emphasis of the importance of cancer statistics and his conclusion that cancer occurrence was largely dependent on environmental factors, with genetic traits seeming to play minor roles. Unfortunately, for the next 20 years there was no one able to maintain the same calibre of activity.

e) Cancer Research Institute and Hospital in Tokyo

It had long been argued that there was an urgent need for a specific institute for cancer and the JFCR, a Corporate Juridical Person in 1915 reestablished in 1933 as the Japanese Foundation for Cancer Research, took on this task. Economic recession in 1920s hindered creation of a cancer hospital and research institute, except a small scale of dispensary in the campus of Tokyo University. However, the Cancer Research Institute and Hospital was finally established in 1934, in Nishi-Sugamo, Tokyo, due to the great efforts of various leading scientists and donations from the Imperial fund. This sealed the success of the early era in cancer control in Japan. The UICC also commenced its activities in the same year in France. Radium was donated to this hospital for therapeutic purposes from a volunteer enterprise which accelerated increase. There were also developments in the provinces, with founding of the Hokkaido Cancer Research Association in 1930 and the Osaka Research Association for Cancer Treatment in 1935, both aiming to achieve modern cancer clinics and cancer prevention activities like the Cancer Institute in Tokyo.

Post-WWII Developments

a) Establishment of Population-based Cancer Registries in Japan

The first survey of cancer morbidity in Japan was conducted from 1951 to 1953, when Dr. Mitsuo Segi (Photograph 5) studied a residential population living within a defined area in Miyagi Prefecture. Segi collected data on all of the cancer patients in all of the hospitals of the prefecture, as well as the death certificates for all of the persons who died from cancer (kept in fifteen prefectural public health centers). This was only the third cancer registry in the world. Dr Segi furthermore worked out a new standardization of cancer statistics using the 1950 World population, the answer to another task of the

UICC since its inauguration in 1934. This standardization made international comparison of cancer statistics more scientific. He issued a monograph "Cancer Mortality for Selected Sites in 24 Countries (1950-57)" in 1960, which was distributed throughout the world without fee and went on then to issue an additional 5 volumes (the last one contained the statistics for 1966-67 in 1972). These publications were of great help to oncologists and public health workers, and his work has been continued by Japanese epidemiologists up to the present.

He then compiled lists from these two sources of data, checking the names and addresses of all of the cases by hand to eliminate duplications. In 1954, the results of the first year's survey were published in the *Tohoku Journal of Experimental Medicine* (Segi et al., 1954) in English (the first such report from Japan ever to be published). Next, a report on the 3-year survey from 1951 to 1953 was published in the *Journal of the National Cancer Institute* (Segi et al., 1957). Segi adopted the new system for reporting and analyzing cancer incidence in the US population, the so-called age-adjusted incidence, in Japan, and compared the cancer incidences between the two populations. Later he adopted the world population in 1950 as a base population for an international comparison of incidence and mortality rates (Segi et al., 1960). After an actual 3-year survey, the first population-based cancer registry for epidemiological purposes was established to collect data on cancer patients (Aoki and Kurihara, 1994).

In 1957 and 1958, the cities of Hiroshima and Nagasaki established population-based cancer registries to follow-up the survivors of the atomic bombings of the two cities, in cooperation with local medical associations. These special-purpose registries have been operated by the Atomic Bomb Casualty Commission (ABCC) - Radiation Effects Research Foundation (RERF) to investigate the long-term effects of atomic bomb radiation on human health (Monzen and Wakabayashi, 1986).

In 1962, the prefectural governments of Aichi and Osaka established population-based cancer registries in cooperation with prefectural medical associations (Hanai et al., 1999). In ensuing years, this type of population-based cancer registry spread to Kanagawa (1970), Tottori (1971), Kochi (1973), and Chiba (1975). Around the time when the Health and Medical Services Law for the Aged was enacted in 1983, population-based cancer registries were operating in 14 prefectures and two cities throughout Japan. The new law recommended that all prefectural governors establish cancer registries as a support for the planning of cancer control programs and the assessment of cancer screening. Registries were established in 19 prefectures promptly after the law was enacted. As of 2008, population-based registries are being run in 35 prefectures and 1 city in Japan.

b) Japan's Contributions to the Establishment of the International Association of Cancer Registries (IACR) and the Asian Federation of Organizations for Cancer Control (APFOCC) as well as Ongoing Activities of the International Union Against Cancer (UICC)

In the 6th International Congress of the International Union against Cancer (UICC) held in Tokyo in October

1966, with Tomizo Yoshida of experimental cancer fame as its President, Dr. Segi and Dr. T Soda invited 47 people from 26 countries to take part in a satellite meeting on cancer registries, including 17 physicians then involved in the registries in Japan. During the meeting Drs. William Haenszel and Sidney J Cutler proposed the foundation of an international association for the exchange of information and the promotion of cancer registries worldwide. After clearing many roadblocks and difficulties entailed in the forming of an international association, a subcommittee set up by Segi and others concluded that an international association would encourage the development of cancer registries. The objective of the association would not be to compete with or oppose the World Health Organization (WHO), the International Agency for Research on Cancer (IARC), or UICC, but to support their activities. Shortly afterwards, the International Association of Cancer Registries (IACR) was established. The physicians involved credited the establishment of the association in large measure to the foresight and industry of Dr. Segi. The first annual meeting of the IACR was held at Houston, in the US, by Dr. Cutler in 1970. The sixth annual meeting was held in 1984 at Fukuoka, Japan, hosted by Dr. Takao Shigematsu, and the 2010 meeting will be held in Yokohama with Dr Setsuo Hirohashi in the chair.

Another satellite meeting for Asian oncologists attending the UICC Tokyo Congress was sponsored by Kunio Ota, Tokyo University, Secretary-General of the Tokyo Congress. At this meeting, Asian scientists expressed strong wishes to have opportunities to regularly exchange information within Asia. Dr Ota, who had raised funding, held a cancer meeting in Japan inviting 76 oncologists from Asian countries in 1973, along with members of the WHO, UICC and IARC. This was the first meeting of the Asian Federation of Organizations for Cancer Control (AFOCC). Dr Takeshi Hirayama, Chief of the Epidemiology Division of the national cancer Center Research Institute, and a very extrovert internationally minded individual, took on the task of Secretary-General of the new federation and then continued in this role until his death. Since 1973, congresses have been held every two years. The name was changed to the Asia-Pacific Federation of Organizations for Cancer Control (APFOCC) in 1979, because members were from then also accepted from the Oceania region. The APFOCC has been closely linked to UICC activities, as a branch organization, playing a special role in holding meetings in different sites within Asia. The next Asian Pacific Cancer Congress is scheduled to be held in 2009 in Tsukuba, Japan, with Dr Hideyuki Akaza as the host.

Within the UICC, it has been a long tradition that a Japanese epidemiologist should play a leading role in its activities and the first UICC Conference on Cancer Prevention in Developing Countries were held at Nagoya, Japan, in 1981 with Dr Kunio Aoki in the chair (see Photograph 6). He was followed by Drs Suketami Tominaga (Photograph 7) and now Kazuo Tajima of Aichi Cancer Center as 'Strategic Leaders' for epidemiology and cancer prevention within the UICC. The Japanese members of the organization, most of which are included



Photographs 6-9. Major Japanese Contributors to UICC Activities: Drs Kunio Aoki, Suketami Tominaga Haruo Sugano, and Tomoyuki Kitagawa

in the Japanese UICC National Committee, have long provided generous financial support to the Geneva office under the leadership of Dr Haruo Sugano (Photograph 8). The same role is now being continued by Dr Tomoyuki Kitagawa (Photograph 9), who has been instrumental in setting up the UICC Asian Regional Office for Cancer Control, with funding primarily from the Japanese members. Japanese pathologists have also made particularly strong contributions to the UICC TNM (tumour size, lymph node involvement, metastasis) classification.

c) Establishment of the National Cancer Center

Following World War II and with increasing awareness of the shift away from infectious diseases to cancer, it became clear that the nation should have a comprehensive 'cancer center' to serve as the nucleus of cancer control measures. Therefore a Preparation Committee for the Establishment of the National cancer Center was formed in 1960, led by Takeo Tamiya, then President of the Japanese Association of Medical Science, with eight other members. Acting on its recommendations the then Ministry of Health and Welfare established the National Cancer Center (NCC) on February 1st, 1962. The hospital was opened in the same year and a new Research Institute in 1981. This is reflected in the NCC symbol (see Figure 2), formed using the inner part of the Japanese character for cancer (癌) by removing the outer section (疒), which denotes sickness in general. The interlocking of the three circles represents the harmony of the three parts:




Figure 2. Symbol of the National Cancer Center

administration, hospital, research institute. A second National Cancer Center Hospital east was added in Chiba Prefecture in 1992, with a Research Institute in 1994. This was reorganized to form the Research Center for Innovative Oncology in Hospital East in 2005. Other major additions have been the Research Center for Prevention and Screening (2003) and the Center for Cancer Control and Information Services (2006). Within the NCC complex is also housed the Foundation for Promotion of Cancer Research and its International Lecture Hall, opened in 1985.

The organizational layout of the NCC is illustrated in Text-Figure 1. The President is aided by an advisory committee, made up of leading figures in industry and civil society, and is reported to by a number of Directors.

The administration department is responsible for accounting, statistics, policy-based medical service planning medical affairs and the library. The hospitals are not bound by the traditional department system, rather assuming a structure which allows treatment to be conducted organically. The research institute focuses on three areas, causes and prevention, mechanisms of cancer development and cancer diagnosis and therapy, in addition to the expression profiling conducted in the center for medical genomics. At the research center for innovative oncology, the focus is on image-guided therapy, new drug development based on cancer specific biology and/or biochemistry, proton therapy and mental and physical supportive care systems.

The Japanese NCC contributes to the work of the World Health Organization in the form of two WHO Collaborating Centers, one established in 1970 for 'Evaluation of Methods of Diagnosis and Treatment of Stomach Cancer', and the other in 1981 for 'Tobacco and Health Programs'. Japan is also one of the Governing Council members of the WHO International Agency for Research on Cancer and the vice-Director of the Research Institute of the NCC traditionally serves as one of its Scientific Council, acting as a liaison with the Agency in Lyon, France.



Text-Figure 1. Organizational Chart of the Japanese National Cancer Center

d) Cooperation with the USA and other countries

In the immediate aftermath of World War II and the dropping of the atomic bombs on Hiroshima and Nagasaki, the American administration in Japan set up a project to investigate the effects of these devastating events on the development of cancer in the exposed populations. In American hands until relatively recently, this has provided abundant evidence of carcinogenicity. In a more positive light, the interaction with Japan may have set the scene for a more equal collaboration.

In 1972, Dr Tomizo Yoshida, then serving as director of the Cancer Institute of the JFCR, met with Dr Frank J Rauschger, Jr, director of the National Cancer Institute (NCI) in the US, to discuss building on the Cooperative Science Program concluded in 1961 between Prime Minister Ikeda and President Kennedy. The result was a meeting in Hakone in 1973 which laid the groundwork for the Japan-US Cooperative Cancer Research Program which was continued ever since. An agreement was drafted

between the Japan Society for promotion of Sciences and the NCI and the main focus has been on scientific seminars and exchange of personnel. More recently, large symposia have been organized and specific collaborative research projects launched.

Similar, albeit less official, agreements have also resulted in cooperation between Japan and countries of Europe active in cancer control research, and there is now an emphasis on reaching out to scientists in Asia, especially in the immediate vicinity.

History of the Japanese National Cancer Control Program

a) Nationwide Cancer Control Surveillance

Japan's first nationwide cancer control surveillance projects were the three National Cancer Surveys conducted by the Ministry of Health and Welfare in 1958, 1960, and 1962. These were followed by the first national cancer

program, in 1966. The surveys and program shared five common goals (five pillars for cancer control): to promote cancer education, to promote cancer screening, to establish cancer-oriented medical facilities, to train healthcare providers specialized in cancer treatment, and to promote cancer research. Regrettably, a cancer registration system was not included among these goals at the time. Fourth and fifth National Cancer Surveys were further conducted in 1979 and 1989, respectively.

b) Activities of the Research Group for Population-based Cancer Registration and Establishment of the Japanese Association of Cancer Registries (JACR)

In 1975, Dr. Isaburo Fujimoto organized the Research Group for Population-based Cancer Registration in Japan with funds from a grant-in-aid under the National Cancer Research Promotion Program. Meetings of this Group have subsequently been held annually. This research group has been continuing its work, under the direction of five successive chairpersons - Dr Fujimoto himself, followed by Drs Segi Fukuma, Aya Hanai, Akira Oshima, and Hideaki Tsukuma.

Major achievements which can be cited are: 1) two major publications (the “Guideline for Population-based Cancer Registration in Japan” in 1975 (with subsequent revisions) and the “Standardized Methods of Population-based Cancer registry” in 1977 as well as translation into Japanese of “Cancer Registration: Principles and Methods” in 1978; 2) broadening of the scope and coverage of the various registries; 3) preparation of annual cancer statistics on cancer incidences, survival rates by cancer type; 4) publication of the “Guideline for confidentiality in cancer registration schemes” in 1996; 5) provision of training course schedules and lectures for tumor registrars at the National Cancer Center twice a year; 6) promotion of the use of registry data for epidemiological research and the planning and evaluation of the cancer control program of the national and municipal governments in Japan.

In 1959 the Miyagi Tumor Registry was started as the first population-based registry and others soon followed. Cancer registration schemes as part of prefectural cancer control programs were first provided in 1962 by the Health Departments of Aichi Prefecture and of Osaka Prefecture. Thus population-based cancer registries were introduced in many prefectures, even before the enactment of the law on Health and Medical Services for the Aged in 1983. This was the first law to recommend that the prefectures undertake cancer registries to help them anti-cancer programs and evaluate cancer screening programs. The effects of this recommendation were major, as evidenced by the rapid increase in active cancer registries (see Figure 3). However, the data collected and the systems for management differed from prefecture to prefecture so that the Japanese Association of Cancer Registries (JACR) (<http://www.cancerinfo.jp/jacr/>) was organized in 1992 to promote standardization of the registry process and improve the quality of registry data, holding annual scientific and procedural meetings for this purpose.

As of 2008, 35 out of 47 prefectures and 1 city (Hiroshima city) have implemented population-based




Figure 3. Change in Numbers of Cancer Registries in Japan over Time

cancer registries, which means that over two thirds of the Japanese population is now covered. The problem is with data quality. Because of low completeness (proportion of registered cases out of all new cases is low), data from 22 cancer registries could not be used for estimating nation-wide incidence. Only 7 are considered sufficiently accurate for inclusion in Cancer Incidence in Five Continents, a world-wide data book for cancer incidence issued by International Agency for Research on Cancer (IARC) (see Figure 4).

In 2004, the Japan Surveillance Research group (chaired by Dr Tomotaka Sobue) introduced standard procedures for cancer registry in Japan by selecting a set of 25 standard items for every cancer registry to collect and a standard registry system. However, notification of cancer cases to the population-based cancer registries in Japan is not compulsory for physicians and medical institutions, but rather voluntary. Later, in 2003, a population-based cancer registration was officially reintroduced as a voluntary task in the newly enacted Health Promotion Law. This law requires national and municipal governments to take steps to ascertain details on the onset of lifestyle-related disease such as cancer and cardiovascular disease. At the same time, given the recent concern about the right to privacy, the 2003 Act on the Protection of Personal Information was enacted and this became a barrier for registries to improve their activities. Because of the limited commitment from national government, registration systems at each registry





Figure 3. Population-based Cancer Registries in Japan



Text-Figure 2. Concepts Underlying the Japanese Cancer Control Act of 2006, Implemented in 2007

have not been standardized so far.

To improve the quality of the data, the Japanese Cancer Surveillance Research Group is now taking steps to standardize the procedures for population-based cancer registries. Because legal support is necessary, the JACR has issued a declaration requesting a legal basis for reporting to cancer registries through the enactment of a “Cancer Registry Law” (a tentative name). There are hopes that this new law, if enacted, will drastically improve the data quality of the cancer registries in Japan. Data on cancer statistics at the national level are available at National Cancer Center website (<http://www.ncc.go.jp/index.html>).


c) Basic Plan to Promote Cancer Control Programs

One of the landmarks in the history of cancer control in Japan was the decision to provide a subsidy for cancer research by the then Ministry of Health and Welfare in 1963. This was the first official government funding (Joseikin). Cancer became the leading cause of death in 1981 and accepting advice from many quarters the Japanese government under Prime Minister Yasuhiro Nakasone later decided to implement a “Comprehensive 10-year Strategy for Cancer Control” (1984-1993) as a nationwide program to contend with cancer. At the completion of this period a “New 10-year Strategy to Overcome Cancer (1994-2003)” was started, the emphasis in this first 20 year period being on basic research. Next, in 2004, it launched the “Third-Term Comprehensive 10-year Strategy for Cancer Control” to further promote cancer research and disseminate high-quality cancer medical services. The chief aim, with an incremental rise in the level of funding, is to “drastically reduce cancer morbidity and mortality.” This latest strategy includes measures not only to fund cancer research, but also measures to prevent cancer, improve the quality of cancer

care, promote social support systems, and establish more effective systems for monitoring cancer incidence and survival. Over the last 4 years of the program there has been a rapid increase in the level of yearly funding, from 15 million US\$ in 1984, to 33 million in 1994, to 90 million in 2004 and over 200 million in 2007. The organization responsible for overseeing the program is the Japanese Foundation for Promotion of Cancer Research.

The Cancer Control Act approved in 2006 and introduced into law in April 2007 has three basic concepts or areas of activity (see Text-Figure 2): prevention and early detection; equalization of care; and research promotion. Importantly, it allows patient support groups and other interested parties an official role as members of the Cancer Control Promotion Council, liaising with the Minister.. It also recognizes the cancer registry as one of the most important axes of cancer control activities. The Basic Plan to Promote Cancer Control Programs initiated development in 2007, and covers fiscal years 2007-2011. The overall goals are reducing cancer-associated mortality, reducing the burden on patients and their families and improvement in QOL. Seven specific fields are covered as indicated in Text-Figure 3, with three special areas of focus: chemotherapy and radiotherapy; palliative care in the early phase of treatment; and promotion of cancer registration.

At the base is cancer research, to support all of the other activities. To expand the network of specialized facilities it has been decided to designate cancer care hospitals, of which there are now 351, as of February 2008. The idea with this newly developed hospital network to provide standardized high-quality cancer care, with provision of essential treatment facilities and palliative care, as well as care support and information services. In order to improve completeness of cancer registration, each of the designated cancer care hospitals is required to



Text-Figure 3. Basic Plan to Promote Cancer Control Programs of the Japanese Ministry of Health, Labour and Welfare

establish and maintain hospital-based cancer registry using standard procedures. The Center for Cancer Control and Information Services (CIS), launched at the National Cancer Center in 2006, is responsible for overseeing all cancer registries in Japan, disseminating information, and developing training and education systems for registrars.

Proportions of cancer patients who can be covered by designated cancer care hospitals varies by prefecture. In rural areas, such as Fukui Prefecture with 0.8 million population, 70% of all new cancer patients are covered by 5 designated cancer care hospitals, so that collecting information from these hospitals can lead to high completeness of population-based cancer registries. On the other hand, in urban areas, such as Osaka Prefecture with 8.8 million population, 11 designated cancer care hospitals cover only 25% of all new cancer patients. Therefore, in these areas, some additional action, such as increasing numbers of designated cancer care hospitals, introducing hospital-based cancer registries into other hospitals or centralize cancer patients into designated cancer care hospitals, will be needed. In addition, legislative action, which makes registration from hospitals obligatory, will be necessary.

In Japan, national programs for cervical and stomach cancer screening were introduced in 1984. Subsequently, such early detection efforts have been added for the lung, liver, colorectal, endometrial and breast cancers. One of the emphases of the Basic Plan is to increase participation rates, with a goal set of 50% of the target populations, with additional stress on the need for better assessment and evaluation. Screening is recommended from the ages of 20 by PAP smear for cervical, 40 by barium X-ray for

stomach, 40 by X-ray for lung, 40 by HPV testing for individuals with symptoms for liver, 40 by immuno-fecal occult blood testing for colorectal, 40 by mammography (and to some extent by clinical breast examination for breast and 40 by tumor marker testing for individuals with symptoms or wishing for screening for endometrial cancers. Basically, the cost for these is covered by medical insurance although since screening is the responsibility of the municipality there may be some variation. This is especially the case for screening for prostate cancer by PSA testing.

The last area is cancer prevention with the emphasis on reducing the smoking prevalence in adolescents and young adults.

d) Japanese Foundation for Promotion of Cancer Research

Housed within the NCC and launched in 1968 as an Association by the Ministry of Health, Labour and Welfare, it changed its status at the suggestion of the then Minister in 1983 to a public Foundation, with permission to receive tax-deductible donations. Its designated roles are to:

- 1) Provide financial support for basic and clinical cancer research
- 2) Support development of diagnostic and treatment methodology
- 3) Assist in international cooperation
- 4) Provide support for specialist education and training
- 5) Act to promote research
- 6) Sponsor the dissemination of accurate information (pamphlets, meetings)
- 7) Liaise and cooperate with other relevant institutions

Table 2. Japanese Foundation for Promotion of Cancer Research International Symposia

Symposium	Year	Chairperson	Theme
1st	1988	Keiichi Suemasu	Fundamental and Clinical Research in Lung Cancer
2nd	1989	Keiichi Suemasu	Fundamental and Clinical Research in Liver Cancer
3rd	1990	Keiichi Suemasu	Fundamental and Clinical Research in Multiple Cancer
4th	1991	Tadao Kakizoe	Fundamental and Clinical Research in Urinogenital Cancer
5th	1992	Keiichi Suemasu	Fundamental and Clinical Research in Pancreatic and Biliary Tract Cancers
6th	1993	Keiichi Suemasu	Fundamental and Clinical Research in Esophageal Cancer
7th	1994	Nagahiro Saijo	Fundamental and Clinical Research in Lung Cancer
8th	1995	Tadao Kakizoe	Basic and Clinical Research in Colorectal Cancer
9th	1996	Kazuhiro Nomura	Basic and Clinical Research in Brain Cancer
10th	1997	Satoshi Ebihara	Basic and Clinical Research in Head and Neck Cancer
11th	1998	Mitsuru Sasako	Basic and Clinical Research in Gastric Cancer
12th	1999	Kaoru Abe	Basic and Clinical Research in Breast Cancer
13th	2000	Tadao Kakizoe	Cancer Screening - Past, Present and Future
14th	2001	Tadao Kakizoe	Pain Control, Palliative Medicine and Psycho-oncology - Present Status and Future Directions
15th	2002	Tadao Kakizoe	New Horizons in the Diagnosis and Treatment of Hematological Malignancies based on Molecular Genetic Features
16th	2003	Tadao Kakizoe	Recent Advances in Pancreatic Cancer
17th	2004	Tadao Kakizoe	Recent Advances in Gastric Cancer
18th	2005	Tadao Kakizoe	Disputes or Controversies in Prostate Cancer Diagnosis and Treatment
19th	2006	Daizo Saio	Infection, Cancer and Prevention
20th	2007	Mitsuru Sasako	Physiological Changes and QOL of Cancer Patients after Radical Surgery
21st	2008	Hiroshi Ikeda	Modern Radiation Oncology: Innovative Technologies and Translational Research

The Foundation has produced pamphlets on lung, stomach, breast, cervical, liver, prostate, and colon cancers, cancer and diet, cancer statistics, and a series on tobacco control, published with the financial help of the Japanese Lottery Association. For each of the major cancers there is detailed information on prevalence, risk factors, symptoms and early detection (including screening when appropriate), diagnosis, treatment and palliative care. At one time the Foundation also published the Japanese Journal of Clinical Oncology but this has now been taken over by Oxford Press. However, a yearly publication of cancer registration statistics is continuing,

Table 2. Japanese Academic Societies and Research Meetings

From	Name
1954	Japanese Cancer Association
19?	Japanese Association for Cancer Detection and Diagnosis
	Japanese Gastrointestinal Cancer Screening Association
	Japanese Gynecology Cancer Screening Society
	Japanese Breast Cancer Screening Association
	Japanese Association for Lung Cancer
	Japanese Pediatric Cancer Association
	Japanese Medical Radiology Society
	Japanese Kidney and Urology Patients Prevention
19?	Japanese Association for Cancer Prevention*
19?	Japanese Society of Cancer Epidemiology*
200?	Japanese Society of Cancer Molecular Epidemiology*
19?	Japanese Society of Clinical Oncology
19?	Japanese Society of Medical Oncology
19?	Japanese Palliative Care Association
19?	Japanese Society of Cancer Registries

*Joint yearly meeting


with detailed explanations of their significance.

The Foundation also makes major contributions to international activities. For example, it sponsors foreign researchers to visit Japan to give lectures or work for longer periods in Japanese research establishments (a total of over 730 in the 25 years of the program so far), and Japanese researchers to visit overseas for the same purpose (over 783). It also provides almost 100 training grants to Japanese research residents every year. Furthermore, there is a yearly International Research Symposium sponsored by the Japanese Bicycle Promotion Society (see Table 2 for details). With the same sponsorship there are numerous public Cancer Prevention Workshops and Lectures, generally performed by researchers from the National Cancer Center, at different communities across Japan. Since 2000, there have also been yearly International Nursing Seminars.

e) Academic Organizations

The number of academic organizations involved with different aspects of cancer control continues to increase (see Table 3), each holding a yearly meeting to exchange information among its members.

The largest is the Japanese Association of Cancer Research with over 16,000 members, which stages a meeting in late October early November. An interesting offshoot of this is the Carcinogenesis-Pathology Research Workshop. Started by Dr Nobuyuki Ito (Photograph 10) as an opportunity for the members of a number of collaborating laboratories to practice their presentations before this meeting in front of a friendly audience, this has subsequently grown with the support of Dr Takashi Sugimura, Emeritus President of the NCC (Photograph 11), to a yearly gathering of all the Japanese groups active in basic toxicological pathology-carcinogenesis research.



Photographs 10 and 11. Drs Nobuyuki Ito and Takashi Sugimura

The Japanese Association meeting is in fact becoming more international and this year many of the presentations are scheduled to be given in English. A recent development has been to include a UICC symposium, focusing on problems in Asia.

Most of the organizations have their own separate conferences but one important development has been the change staging of joint meetings by the Cancer Prevention, Cancer Epidemiology, and Cancer Molecular Epidemiology groups, generally in July, to allow scientists from different disciplines to interact more positively. Similarly, a number of organizations contribute to the meeting of the Japanese Association for Cancer Detection and Diagnosis.

f) Non-Government Organizations

Princess Takamatsu Cancer Research Foundation

The Princess Takamatsu Cancer Research Fund was established in 1968. Her Imperial Highness Princess Takamatsu devoted much of her life to alleviating the scourge of cancer since the disease took the life of her mother in 1933. She founded the precursor of the present Fund, the “Nadeshiko-kai”, with her classmates at Joshi Gakushuin School in 1953. The Fund sponsored various charities and provided financial support for cancer research. Initiatives such as these increased public awareness of cancer and attracted the support of parties with interests similar to those of the Princess.

In her position as Honorary Patroness of the Fund since its inception, Her Imperial Highness Princess Takamatsu maintained a strong influence in matters related to the Fund and was actively involved in its many activities in different fields. It was with a deep sense of regret that the Japanese and international community acknowledged her passing in 2004. In 2001, His Imperial Highness Prince Tomohito of Mikasa became the Fund’s Patron.

The objective of the Fund is to contribute to the progress of science and the welfare of mankind through supporting cancer research. At present, it is engaged in the following activities:

With the guidance of Dr Takashi Sugimura as Chairperson of its Scientific Advisory Committee, the International Symposium of the Princess Takamatsu Cancer Research Fund has been held annually in Tokyo every November since 1970 (see Table 3). Invited speakers, each time 20 from abroad and 10 from Japan, are scientists that are considered to be highly productive and at the cutting edge of cancer research. Consequently, the symposia have come to be well regarded among scientists both at home and abroad.

The Lectureship of the Princess Takamatsu Cancer Research Fund was established in 1981. A prominent cancer researcher from abroad is invited every year to present lectures in three places in Japan. These lectures leave a deep impression on attendees and serve to stimulate many young Japanese scientists and students.

Research Grants have been awarded to 12 Japanese scientists each year since 1969, and this support has contributed positively to various fields of cancer research. Each recipient is awarded JP¥2,000,000.

The Princess Takamatsu Cancer Research Fund Prizes are awarded every year to Japanese scientists who have made outstanding contributions to fundamental and clinical research on cancer. Award of the prize is regarded as an enormous honor in the Japanese cancer research community. The Award of Merit, which bears the name of Her Imperial Highness, and JP¥3,000,000 are presented to each recipient. To honor the late Dr Waro Nakahara who was a pioneer of cancer research in Japan and played an important role in establishing of the International Symposium, a special lecture has been presented in his name at every symposium since 1977. The Fund awards a plaque and a prize (JP¥500,000) to honor the lecturer for his or her distinguished research on cancer in the occasion of the symposium.

The Princess Takamatsu Cancer Research Fund and the American Association for Cancer Research AACR



Photograph 12. Princess Takamatsu

Table 3. Princess Takamatsu Cancer Research Fund International Symposia

Symposium Year	Chairperson	Theme
1st (1970)	Waro Nakahara	Recent Advances in Human Tumor Virology and Immunology
2nd (1971)	Waro Nakahara	Topics in Chemical Carcinogenesis
3rd (1972)	Waro Nakahara	Analytic and Experimental Epidemiology of Cancer
4th (1973)	Waro Nakahara	Differentiation and Control of Malignancy of Tumor Cells
5th (1974)	Goro Chihara	Host Defense Against Cancer and Its Potentiation
6th (1975)	Peter N Magee	Fundamentals in Cancer Prevention
7th (1976)	Emmanuel Farber	Pathophysiology of Carcinogenesis in Digestive Organs
8th (1977)	Stephen K Carter	Advances in Cancer Chemotherapy
9th (1978)	Iwao Hirono	Naturally Occurring Carcinogens-Mutagens and Modulators of Carcinogenesis
10th (1979)	Harry V. Gelboin	Genetic and Environmental Factors in Experimental and Human Cancer
11th (1980)	Clyde J Dawe	Phyletic Approaches to Cancer
12th (1981)	Masanao Miwa	Primary and Tertiary Structure of Nucleic Acids and Cancer Research
13th (1982)	Osamu Hayaishi	ADP-ribosylation, DNA Repair and Cancer
14th (1983)	Hirota Fujiki	Cellular Interactions by Environmental Tumor Promoters
15th (1984)	Masanao Miwa	Retroviruses in Human Lymphoma/Leukemia
16th (1985)	Yuzo Hayashi	Diet, Nutrition and Cancer
17th (1986)	Stuart A Aaronson	Oncogenes and Cancer
18th (1987)	Joseph F Fraumeni Jr	Unusual Occurrences as Clues to Cancer Etiology,
19th (1988)	Toshiyuki Hamaoka	Immune System and Cancer,
20th (1989)	Alfred G Knudson Jr	Genetic Basis for Carcinogenesis: Tumor Suppressor Genes and Oncogenes,
21st (1990)	Lars Ernster	Xenobiotics and Cancer: Implications for Chemical Carcinogenesis and Cancer Chemotherapy
22nd (1991)	Curtis C Harris	Multistage Carcinogenesis
23rd (1992)	Richard H Adamson	Heterocyclic Amines in Cooked Foods: Possible Human Carcinogens,
24th (1993)	Setsuo Hirohashi	Molecular and Cellular Basis for Cell to Cell Interaction: its Significance in Cancer
25th (1994)	Kenichi Kobayashi	Hepatitis C Virus and its Involvement in the Development of Hepatocellular Carcinoma
26th (1995)	Setsuo Hirohashi	Genomic Instability and Carcinogenesis
27th (1996)	Allan H Conney	Fundamentals of Cancer Prevention
28th (1997)	Carlo M Croce	Cancer Genomics
29th (1998)	Isaiah J Fidler	Molecular Basis for Invasion and Metastasis,
30th (1999)	Samuel M Cohen	New Frontiers in Mechanistic Cancer Research in Animal Models
31st (2000)	Setsuo Hirohashi	DNA Methylation and Cancer
32nd (2001)	Ken Yamaguchi	Basic and Clinical Research on Tumor Markers
33rd (2002)	Tadao Kakizoe	Innovative Achievements in Cancer Imaging
34th (2003)	Kumao Toyoshima	Cancer Immunotherapy
35th (2004)	Susumu Nishimura	Challenges & Novel Approaches to Modern Cancer Drug Discovery & Development
36th (2005)	Suketami Tominaga	Developments in Cancer Epidemiology? Prospects for Cancer Control in the Asian Pacific
37th (2006)	Hiroyasu Esumi	Cancer Microenvironments
38th (2007)	Hitoshi Nakagama	Current Challenges in the Understanding and Management of Colon Cancer
39th (2008)	Keiji Wakabayashi	The Metabolic Syndrome and Cancer

furthermore established a Lectureship in 2007 in honor of the late Princess Takamatsu. The aim is to recognize an individual scientist whose novel and significant work has had a far reaching impact on the detection, diagnosis, prevention, or treatment of cancer, and who embodies the dedication shown by Princess Takamatsu to multinational collaboration. The lecturer has the opportunity to present a major lecture during the AACR Annual Meeting, and is awarded US\$10,000 along with an appropriate commemorative item (such as a plaque) serving as tangible witness to the singular honor of his/her selection.

The Princess Takamatsu Cancer Research Fund provides annually a grant of JP¥3,000,000 as a financial support to the AACR for the establishment of the Lectureship and also publishes 'Cancer', an annual Japanese publication that describes the activities of the Fund to the general public. The Fund became an affiliate of the International Union against Cancer (UICC) in 1978 and contributes JP¥1,500,000 in membership contributions annually.

Sapporo Cancer Seminar Foundation

In 1979, Dr. Hiroshi Kobayashi, now Professor Emeritus of Hokkaido University, inspired by the academically liberal atmosphere of The Gordon Research Conferences, Santa Barbara, California, the USA, conceived the idea of the Sapporo Cancer Seminar to provide greater opportunities for cancer researchers to share their knowledge in a relaxed but academic atmosphere. His proposal was encouraged by Dr. Takashi Sugimura and supported by Dr. Takeo Yamazaki, then President of the Hokkaido Medical Association, Sapporo, Hokkaido, Japan.

The first SCS was held in Sapporo in 1981, and in 1983 the SCS established itself as a foundation, with the warm support of businesses, pharmaceutical organizations, and the general public. Dr Kobayashi acted in the consideration that research itself is insufficient and there is a greatest urgency that medical specialists, wherever they are working, should have the opportunity to meet each other and discuss methods to combat or prevent the

Table 4. Sapporo Cancer Seminar Foundation - Summer Seminars

Seminar	Chairperson	Theme
1st Seminar	1981 H Kobayashi	Escape of Tumor Cells from Immune Controls
2nd Seminar	1982 A Makita	Membrane-Associated Alterations in Cancer: Biochemical Strategies
3rd Seminar	1983 Y Sakurai	Biological Responses in Cancer Chemotherapy
4th Seminar	1984 K Fujinaga	Viral Transforming Genes and Oncogenes: Origin, Structure, and Function
5th Seminar	1985 A Yachi	Monoclonal Antibodies: Progress in Cancer Immunobiology and Clinical Application
6th Seminar	1986 T Osato	Viruses, Immunodeficiency, and Human Cancer
7th Seminar	1987 K Aoki	Primary & Secondary Prevention of Cancer
8th Seminar	1988 H Kobayashi	Cancer Progression & Metastasis
9th Seminar	1989 M Hozumi	Cell Differentiation and Cancer Control
10th Seminar	1990 T Ohsato	Recent Topics in Cancer Research
11th Seminar	1991 Y Ikawa	Molecules in Carcinogenic Processes
12th Seminar	1992 N Taniguchi	Oxyradicals and Antioxidative Responses in Cancer
13th Seminar	1993 H Fujiki	Current Strategies of Cancer Chemoprevention
14th Seminar	1994 M Watanabe	Genetic Polymorphisms and Cancer Susceptibility
15th Seminar	1995 F Sendo	Psycho-Neuroimmunology and Cancer
16th Seminar	1996 M Hosokawa	Molecular Mechanisms for Inflammation-promoted Pathogenesis of Cancer
17th Seminar	1997 N Kuzumaki	Cytoskeleton and G proteins in the Regulation of Cancer
18th Seminar	1998 Y Niitsu	Regulation of Machinery for Cancer Cell Growth, Immortality, Apoptosis and Invasion
19th Seminar	1999 Y Nakamura	Cancer Genomics and Molecular Diagnosis
20th Seminar	2000 H Kobayashi	Gene-Environment Interaction and Cancer Prevention
21st Seminar	2001 K Takada	Epstein-Barr Virus and Human Cancer
22nd Seminar	2002 K Imai	Cancer Epigenetics
23rd Seminar	2003 K Imai	Immunology-based Targeting Therapy
24th Seminar	2004 Y Hata	Pharmacogenomics in Cancer Chemotherapy: Recent Advances in ABC Transporters and Genome Analyses
25th Seminar	2005 F Sendo	Toward Personalized Medicine in Cancer and other Life-style Related Disease
26th Seminar	2006 T Seya	Innate Immunity in Cancer and Infectious Diseases
27th Seminar	2007 N Taniguchi	Glycomics; New Perspectives in Cancer Cell Behavior
28th Seminar	2008 K Miyazono	Future problems for medical treatment of cancer

disease. He also was instrumental in establishing the Japanese Association (now Society) for Cancer Prevention in 1994.

The July Seminar (see Table 4) consists of symposia, a poster session with general discussions and meetings. Reports are published in *Cancer Research* and other world

renowned journals. The Winter Seminar (see Table 5) originated as an offshoot of the activities of the Sapporo Cancer Seminar Foundation, with the generous sponsorship of the Foundation for Total Health Promotion, whose President Mitsuo Shikano has continued to be a generous sponsor. Taiho Pharmaceutical Industry Co. Ltd.,

Table 5. Sapporo Cancer Seminar Foundation - Winter Seminars

Seminar	Chairperson	Theme
1st Seminar	1987 Miyazaki Tamotsu	The biomedical characteristics and control of leukemia cells
2nd Seminar	1988 Uchino Junichi	The biomedical characteristics and control of liver cancer
3rd Seminar	1989 Suzuki Akira	Lung cancer and mediastinal tumors
4th Seminar	1990 Urushizaki Ichiro	Cancer and the quality of life
5th Seminar	1991 Inoguchi Kiyoshi	The changing nature and prospects for cancer medical treatment
6th Seminar	1992 Abe Hiroshi	Basics and clinic assessment of brain, head and neck tumors
7th Seminar	1993 Orimo Hajime	Pursuing a connection between ageing and cancer
8th Seminar	1994 Kakizoe Tadao	Appropriate countermeasures for intractable (obstinate) cancers
9th Seminar	1995 Kawakami Yoshikazu	Recent topics on adenocarcinoma research of the lung
10th Seminar	1996 Kobayashi Hiroshi	Secondary primary cancer and its prevention
11th Seminar	1997 Katou Hiroyuki	Considering present day cancer-diagnosis, treatment and prevention
12th Seminar	1998 Imai Kouzoh	Considering present day cancer-diagnosis, treatment and prevention
13th Seminar	1999 Abe Shousaku	Considering present day cancer 1999-diagnosis, treatment and prevention
14th Seminar	2000 Toudou Hajime	Considering present day cancer 2000-new challenges
15th Seminar	2001 Inoue Shoichi	Considering present day cancer 2001-prevention, diagnosis and treatment strategy
16th Seminar	2002 Hirata Kouichi	Considering present day cancer 2002-prevention, diagnosis and treatment strategy
17th Seminar	2003 Hata Yoshinobu	Considering present day cancer 2003-prevention, diagnosis and treatment strategy
18th Seminar	2004 Abe Shosaku	Considering present day cancer 2004-prevention, diagnosis and treatment strategy
19th Seminar	2005 Hareyama Masato	Considering present day cancer 2005-prevention, diagnosis and treatment strategy
20th Seminar	2006 Hirata Koichi	Considering present day cancer 2006
21st Seminar	2007 Hosokawa Masao	Future problems for medical treatment of cancer
22nd Seminar	2008 Inoue Shoichi	TGF β signaling and cancer



Photographs 13 and 14. Drs Hiroshi Kobayashi and Eiichi Tahara

under its President Yukio Kobayashi, has also provided assistance since the beginning of the 11th Winter Symposium. The summer seminar deals with basic aspects of cancer research, while the winter seminar, which is scheduled to coincide with Sapporo's Snow Festival, an internationally famous event, concentrates upon cancer-related clinical investigations.

Dr Kobayashi and the Sapporo Cancer Seminar Foundation are also very active in a community-based health promotion project in Sri Lanka focusing on schools and school children (see Photograph 12).

Hiroshima Cancer Seminar Foundation

As is well-known, Hiroshima was the first city in the world to be struck with an atomic bomb, and the relative risk for hematological malignancies and thyroid cancer is high among the survivors. The goal of the Hiroshima Cancer Seminar Foundation is to promote everlasting peace by contributing to cancer research. Established by Eiichi Tahara (Professor Emeritus, Hiroshima University) (see Photograph 13) in 1992 with the cooperation of

Hiroshima Prefectural Government, Hiroshima Financial Circles and Hiroshima Medical Association, the Foundation annually holds an international symposium (see Table 6) to create an opportunity for basic scientists and clinical researchers to exchange ideas on cancer research and cancer therapy. There is a strong focus on molecular biology.

The foundation also supports the activity of many scientific societies related to cancer, including the Japanese Cancer Association. The foundation offers scientific grants for young cancer researchers. Another important task of the Hiroshima Cancer Seminar Foundation is to distribute precise information on the causes and course of cancer as a contribution to cancer prevention. Since a correct understanding of the diagnosis and treatment of cancer is an important aspect of the provision of adequate medical care, a lecture open to the public is held annually.

Japan Cancer Society (JCA)

The JCA was established in 1958 to aid the struggle to bring cancer under control, with strong support from the Asahi Shimbun, a leading Japanese newspaper. The first President was Hiroshige Shioda, an influential surgeon and Emeritus Professor of the University of Tokyo, and the present incumbent is Tadao Kakizoe (President Emeritus of the National Cancer Center). Dr Kakizoe himself (see Photograph 14) has long been active in promoting contacts within Asia, for example hosting a meeting of Directors of National Cancer Institutes/Centers to promote interaction. The JCA plays a major role in promoting screening, sponsoring early detection of 280 million people since its foundation. It also operates a 'cancer-hotline' and provides various kinds of free cancer consultation. For example in 2007, more than 14,000 patients and family members had the opportunity to avail themselves of advice from doctors.

To heighten awareness of cancer, the JCA organizes lectures and seminars, contributes to the 'pink-ribbon' fight against breast cancer, produces and distributes pamphlets, posters and DVDs and provides information

Table 6. Hiroshima Cancer Seminar Foundation International Symposia

Symposium	Year	Main Speakers	Theme
1st	1990	T Sugimura and S Waxman	New Approaches to Cancer Therapy
2nd	1992	T Sugimura and CC Harris	Carcinogenesis and Metastasis
3rd	1993	EJ Stanbridge and J Yokota	Tumor Suppressor Genes
4th	1994	T Sugimura and AB Deisseroth	Gene Therapy of Cancer
5th	1995	CB Harley and T de Lange	Telomerase and Cancer
6th	1996	RR Brentani and R Lotan	Cancer-stromal Interactions
7th	1997	IM Verma and F Wong-Staal	Gene Therapy: Application to Disease
8th	1998	JC Barrett and Oshimura	Aging and Cancer
9th	1999	Anna T Meadows and Ed Harlow	Pediatric Tumors and Secondary Cancers
10th	2000	J Quachenbush and T Tsunoda	Gene Diagnosis - Introduction of New Technology
11th	2001	R Grosschedl and PA Jones	Chromatin and Cancer
12th	2002	W K Cavenee and F B Furnari	Molecular Targeting Therapy for Cancer
13th	2003	CC Harris and XW Wang	New Approaches to Identification of Biomarkers for Early Cancer Detection
14th	2004	JP Issa and M Oshimura	Cancer and Epigenetics -Basic Research and Clinical Implications
15th	2005	JA Ajani and A Ohtsu	Current Progress of Cancer Chemotherapy
16th	2006	E Quintana and F Radtke	Cancer Stem Cells
17th	2007	JD Cox and T Ogino	Radiation Therapy for Cancer
18th	2008	NA Wright and RN DuBois	Recent Progress in Pathogenesis and Management of Colorectal Cancer



Photograph 15. Dr Tadao Kakizoe

(<http://www.jcancer.jp>). It also coordinates and co-sponsors the 'Relay for Life' with the American Cancer Society, a yearly event at six venues across the nation.

Patient Support Groups

There are also a number of patient support groups which are active, particularly for breast cancer survivors, including Gan-to-Tomo-ni Ikiru-kai (Live with Cancer Society) and Akebono-kai (Bringing light) and various Mamma clubs. Some of these have formed an alliance together with the Health Policy Institute of Japan for more effective coordination of their activities.

Present and Future Perspectives

a) National

There is currently an exercise being conducted in the Japanese NCC, comparing the cancer control strategies and programs in countries like the US, Canada, the UK and Korea, for example. Direct comparisons are difficult but in such countries with similar levels of economic development it appears that the amount of financial support may markedly vary. Especially the availability of research funding from NGOs is considerably greater in the Western countries. That said, there is a massive research effort continuing in all areas of cancer control and Japan makes a major contribution to the international literature. A very simple exercise is revealing in this regard. By country name and cancer research as search items, Japan is number 2 in the world with over 26,000 papers listed, behind the USA (187,000), but in front of the UK (23,000), Germany (13,000) and France (10,000).

Regarding cancer registration, great advances have been made and the level of coverage is high, but Japan remains in a relatively difficult position given the lack of any law making registration compulsory. The hospital-based program should facilitate greater accuracy as part of an overall improvement in data collection capacity.

In terms of cancer screening services, Japan is of course very well placed and there is no shortage of either facilities or capacity. The actual screening participation rates, however, for the National Cancer Screening program for 2006 were 22.5% for lung, 18.8% for colorectal, 18.8% for cervical, 12.9% for breast and 12.2%

for stomach, the target populations ranging from 22-36 million (unpublished data). Therefore the set task of reaching an overall rate of 50% will not be simple to achieve.

Smoking control has become a major topic with Japan signing the WHO Framework Convention on Tobacco Control but there are difficulties, not least because the Japanese Government is an important shareholder in the Japanese tobacco industry (Assunta and Chapman, 2006).

Regarding health promotion and prevention of cancer, the recent emphasis on early diagnosis and treatment of the metabolic syndrome should eventually have a beneficial influence on the rates for colorectal, breast, endometrial, prostate and other adenocarcinomas generally considered to be related to obesity and lifestyle, but the economic costs will be considerable so that sustainability of a major issue.

b) International

The continued support of WHO and IARC by the Japanese Government makes a considerable contribution to international efforts for cancer control. Furthermore, the large number of International Symposia staged in Japan very much help dissemination of findings of researchers across the globe. The country is perhaps the major international player in this area. Certainly, within Asia Japan is playing the leading role. In addition, financial support from its individual scientists and the Japanese National UICC Committee are the only reason why the Asian Pacific Organization for Cancer Prevention and its journal, the Asian Pacific Journal of Cancer Prevention, have been able to continue operation now for almost ten years.

However, training activities within Japan itself targeting foreigners interested in doing cancer research are relatively limited. There have been no examples of coordination like that between the Korean National Cancer Center and IARC, although one is planned to coincide with the IACR yearly meeting in Yokohama in 2010. The Central Japan Japan International Cooperation Agency funded course on 'Community-based Cancer Prevention for the Asian and Pan-Pacific Countries' (Wakai and Matsuo, 2007), organized by Dr Kazuo Tajima of the Aichi Cancer Center (see Table 7) did successfully train almost 90 participants over 10 years from the developing world (see Table 8), but it is unfortunately no longer being offered. Furthermore, the vast majority of those taking part were from Ministries of Health and are no longer working in the field because of the general tendency for revolving from Department to Department in Government. If another such course were to be launched, then it might be advisable to focus more attention on staff of research institutes and universities where there is more likelihood of long-term activity. Such courses are of exceeding importance for nurturing of registration, screening and research capacity within the developing world, also providing the human links for continued collaboration and cooperation.

While Japan is a major financial supporter of the International Atomic Energy Agency in its Programme of Action for Cancer Therapy, it is unfortunately not one of

Table 7. Contents of the JICA Course Program

	Sessions*		Contents of practice
	Lecture	Practice	
Outline of Epidemiology			
Concepts and overview of cancer epidemiology	1		
Cancer control in Japan	1		
Global health policies/trends	1		
Cause and risk	1	1	Calculation
Details of Epidemiology			
Demographic studies	1	1	Calculation
Human ecology	1		
Case-control studies	2	2	Group Discussion and Calculation
Cohort study	1		
HERPACC#	1	1	Observation
Cancer pathophysiology	1		
Diet, nutrition and cancer	2		
Molecular epidemiology	1		
Instruction of reporting skills	2		
Design of intervention trials	1		
Ethical issues	1		
Biostatistics		2	Computer
Aichi cancer registry	1	2	Computer
Osaka registry (Osaka)	1	1	Observation
Cancer Prevention			
Aichi Cancer Center Research Institute and Hospital	1		Observation
Smoking control (Osaka)	1		Group Discussion
Radiation cancer (Hiroshima)	1		Observation
Infection and cancer	1		
H pylori and gastric cancer	1		
Cancer screening	1	4	Observation
Evaluation of screening	1	1	Computer
Occupational health in Japan	2		
Occupational cancer	2		
Primary cancer prevention	1	3	Discussion
Carotenoids as biomarkers	1		
Local public health activity		1	Observation
Main risk factors by site	1		
Health promotion and prevention of lifestyle-related diseases in Japan	1		Observation
Country report		1	Presentation
Cancer prevention and its strategy (Action planning for cancer prevention)	1	3	Personal tuition 1 Group discussion 5 Report making 1 Presentation
Course evaluation			
Weekly		(4)	Report
Mid-term & final		(2)	Discussion
Japanese language lesson			
Total	32	34	

* One lecture 1.5 hours and practice 2.5 hours # Hospital-

the Centres of Excellence or Mentors listed for the WHO Western Pacific Region in which it is located. Clearly, its profile in the world would be greatly improved if minor changes in the emphasis were to be brought about. Then the image of Japan would be more in line with the actual contributions that it has made in the past and will hopefully continue to make in the future.

Table 8. Distribution of Participants

Area	Country	Total
South, SE and NE Asia		
	Bangladesh	2
	Cambodia	1
	China	1
	India	3
	Indonesia	1
	Laos	1
	Malaysia	5
	Mongolia	6
	Nepal	1
	Philippines	3
	Sri Lanka	4
	Thailand	3
	Viet Nam	1
Oceania		
	Fiji	3
	Micronesia	1
	Papua New Guinea	3
	Solomon Islands	3
	Vanuatu	1
Middle and South America		
	Colombia	2
	Costa Rica	2
	Dominica	1
	Dominican Republic	1
	Honduras	1
	Brazil	3
	Ecuador	1
	Paraguay	4
	Uruguay	2
Western Asia		
	Iran	1
	Jordan	1
	Palestine Authority	2
	Turkey	1
Africa		
	Ethiopia	1
	Kenya	1
	Seychelles	1
	Tanzania	1
	Zambia	2
	Zimbabwe	1
East Europe		
	Bosnia-Herzegovina	2
	Lithuania	1
	Romania	1
Total (No. of countries)		76 (40)

Acknowledgements

Malcolm Moore was the grateful recipient of a Japanese Foundation for Promotion of Cancer Research grant for foreign researchers during the drafting of this article. He is indebted to Drs Setsuo Hirohashi and Keiji Wakabayashi for making this possible and to Dr Tomotaka Sobue for his generous hospitality.

Special reference should be made to earlier historical reviews made by Dr Kunio Aoki (2000, 2001; 2006) and papers by Drs Tomotaka Sobue (2008) and Naoyuki Okamoto (2008), which provided substantial segments of the present review. Grateful thanks are also due to Dr Hiroshi Saito for helpful discussions.

References

- Abe T (1907). Clinical and statistical study on carcinoma. *Gann*, **1**, 576-600 (in Japanese).
- Aoki K, Kurihara M (1994). The history of Cancer Registration in Japan: Contribution of Dr Mitsuo Segi. *Cancer Surveys*, **19**, 563-70.
- Aoki K (2000). Contributions to cancer prevention of Non-Governmental Organizations. 1. The dawn of cancer control activities: Establishment of the UICC and its activities. *Asian Pac J Cancer Prev*, **1**, 181-93.
- Aoki K (2001). Contributions to cancer prevention of Non-Governmental Organizations. 2. The dawn of cancer control activities: comparison of Japan and the USA. *Asian Pac J Cancer Prev*, **2**, 15-26.
- Aoki K (2006). Early history of cancer epidemiology and prevention in Japan. *Asian Pac J Cancer Prev*, **7**, 170-6.
- Assunta M, Chapman S (2006). Health treaty dilution: a case of Japn's influence on the language of teh WHO Framework Convention on Tobacco Control. *J Epidemiol Community Health*, **60**, 751-6.
- Chikamatsu T (1918). Study on experimental carcinogenesis induced by tobacco tar. *Bulletin of Pathology and Haematology*, **1**, 1-61, (in Japanese).
- Fujinami A (1913). Disposition of disease, especially on the tumors. *Nissin Igaku*, **2**, 999-1038 (in Japanese).
- Fujinami A (1929). Contribution to the geographical pathology of malignant tumors in Japan. *Trans Jpn Pathol Soc*, **19**, 759-62 (in Japanese).
- Fujinami A, Nakarai S (1908). Geographic and statistical investigations on malignant tumors in Kyoto city and its vicinity. *Gann*, **2**, 452-455 (in Japanese).
- Hanai A, Fujimoto I, Tsukuma H and Oshima A (1999) Cancer Registration and Cancer Trends in Japan. Proceeding of the International Symposium "Cancer Epidemiology and Control in the Asia-Pacific Region" (Dr Sato S, Miller MW et al. eds), International Center for Medical Research, Kobe, pp80-88
- Hayashi N (1935). Geographic statistics of malignant neoplasms (Summing up reports of the studies in eight prefectures of Chubu district). *Trans Jpn Path Soc*, **25**, 742-43 (in Japanese).
- Hirohata T (1996). Epidemiological studies in Japan. *J Epidemiol*, **6**, S13-7.
- Kajikawa T (1930). Geographical and statistical study on malignant tumors in Nara prefecture(the 1st and 2nd parts). *Kyoto Med J*, **26**, 442-470 and 614-696 (in Japanese).
- Katada T (1926). Geographical and statistical study on malignant tumors in Yamanashi prefecture *Arch Pathol*, **3**, 777-935 (in Japanese).
- Kato T, Kato S (1936). Geographical and statistical study on malignant tumors in Ishikawa prefecture. *Arch Pathol*, **11**, 391-575 (in Japanese).
- Monzen T and Wakabayashi T (1986) Tumor and tissue registries in Hiroshima and Nagasaki. *Gann Monogr Cancer Res*, **32**, 29-40.
- Nagayo M (1935). Statistical Studies on Malignant Tumors in Japan. *Gann*, **29** (Supplement) (in Japanese).
- Nakarai S (1913). Statistical and geographic study on malignant tumors (2nd report). *Gann*, **7**, 183-4 (in Japanese).
- Nomura H (1924). Geographical and statistical study on malignant tumors in Aichi prefecture. *Arch Pathol*, **1**, 495-782 (in Japanese).
- Nomura H, Yoshida M (1925). Geographical and statistical study on malignant tumors in Gifu prefecture. *Arch Pathol*, **2**, 584-845 (in Japanese)
- Ogata T (1955). Epidemiological study on cancer – Statistical study on risk factors of cancer. *Nippon Ishikai Zasshi*, **34**, 685-94 (in Japanese).
- Okamoto N (2008). A history of the cancer registration system in Japan. *Int J Clin Oncol*, **13**, 90-96.
- Sato K (1907). Statistical study on localization of cancer. *Gann*, **1**, 1-15 (in Japanese).
- Sasaki T, Yoshida T (1935). Experimentelle Erzeugung des Leberkarzinoma durch Fuetterung mit o-amidoazotoluol *Virchow Arch. Path. Anat*, **295**, 175-200.
- Segi M, et al (1960). Cancer in Japan and the World, Epidemiology, Statistics and Geopathology. Shinndan-to-Chiryu Co. Ltd. Tokyo (in Japanese).
- Segi M, Fukushima I, Fujisaki S, et al (1957). Cancer morbidity in Miyagi prefecture, Japan and a comparison with morbidity in the United States. *J Natl Cancer Inst*, **18**, 373-83.
- Segi M, Fukushima I, Mikami Y, Fujisaki S, Kurihara M (1954) Cancer Illness; among Residents of Miyagi Prefecture, Japan, 1951. *Tohoku J Exp Med*, **59**, 213-24.
- Sobue T (2008). Current activities and future directions of the cancer registration system in Japan. *Int J Clin Oncol*, **13**, 97-101.
- Sugimura T, Wakabayashi K, Nakagama H, nagao M (2004). Heterocyclic amines: Mutagens/carcinogens produced during cooking of meat and fish. *Cancer Sci*, **95**, 290-9.
- Suzuki N (1918). Statistical study on malignant tumors (the 1st part). *J Kyoto Med Assoc*, **15**, 849- 985 (in Japanese).
- Suzuki N (1921). Statistical study on malignant tumors (the 2nd and 3rd parts). *J Kyoto Med Assoc*, **18**, 306-335, and 337-363 (in Japanese).
- Wakai K, Matsuo K (2007). The JICA training course, Community-based Cancer Prevention for the Asian and Pan-Pacific Countries, fiscal year 2006 (epidemiological approach). *Asian Pac J Cancer Prev*, **8**, 150-4.
- Yamagiwa K, Ichikawa K (1915). Experimentelle Studie über die Pathogenese der Epithelial Geschwülste. *Mitteilungen Med. Fakultät Kaiserl. Univer. Tokyo*, **15**, 295-344.
- Yoshida M (1926). Geographical and statistical study on malignant tumors in Shizuoka Prefecture *Arch Pathol*, **3**, 163-415 (in Japanese).